State of Alaska

Section of Epidemiology

Table 1. Reported Chlamydia Cases, by Age, Race and Sex -- Alaska, Jan-Dec 2007

Alaska 2007 Census = 676,056 Persons

CT cases = 4,887

| | | AI/AN | | | Black | | | Asian/PI | | | White | | Ot | her/Unkno | wn |
|------------------|--------|--------|---------|--------|--------|---------|--------|----------|---------|--------|--------|---------|--------|-----------|---------|
| Age Group | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total |
| Ages 00-04 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Ages 05-09 | 0 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Ages 10-14 | 2 | 27 | 29 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 4 | 5 | 0 | 0 | 0 |
| Ages 15-19 | 127 | 603 | 730 | 49 | 87 | 136 | 9 | 66 | 75 | 89 | 369 | 458 | 1 | 5 | 6 |
| Ages 20-24 | 222 | 594 | 816 | 111 | 101 | 212 | 27 | 84 | 111 | 292 | 381 | 673 | 8 | 9 | 17 |
| Ages 25-29 | 126 | 286 | 412 | 63 | 44 | 107 | 27 | 55 | 82 | 126 | 137 | 263 | 4 | 4 | 8 |
| Ages 30-34 | 56 | 148 | 204 | 30 | 11 | 41 | 6 | 22 | 28 | 51 | 43 | 94 | 5 | 0 | 5 |
| Ages 35-39 | 24 | 69 | 93 | 20 | 4 | 24 | 4 | 3 | 7 | 25 | 23 | 48 | 2 | 0 | 2 |
| Ages 40-44 | 18 | 42 | 60 | 14 | 2 | 16 | 3 | 3 | 6 | 12 | 6 | 18 | 0 | 0 | 0 |
| Ages 45-49 | 8 | 16 | 24 | 9 | 2 | 11 | 1 | 4 | 5 | 14 | 3 | 17 | 1 | 0 | 1 |
| Ages 50-54 | 5 | 6 | 11 | 3 | 3 | 6 | 0 | 0 | 0 | 6 | 3 | 9 | 0 | 0 | 0 |
| Ages 55-59 | 2 | 5 | 7 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 1 | 2 | 0 | 0 | 0 |
| Ages 60-64 | 0 | 1 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 |
| Ages 65+ | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 591 | 1799 | 2390 | 300 | 255 | 555 | 78 | 237 | 315 | 618 | 970 | 1588 | 21 | 18 | 39 |
| % Sex, by Race* | 24.73% | 75.27% | 100.00% | 54.05% | 45.95% | 100.00% | 24.76% | 75.24% | 100.00% | 38.92% | 61.08% | 100.00% | 53.85% | 46.15% | 100.00% |
| % Race, by Sex** | 36.75% | 54.86% | 48.91% | 18.66% | 7.78% | 11.36% | 4.85% | 7.23% | 6.45% | 38.43% | 29.58% | 32.49% | 1.31% | 0.55% | 0.80% |

^{* %} Sex, by Race refers to the percentage of chlamydia cases, by sex, within each race category.

^{** %} Race, by Sex refers to the percentage of chlamydia cases, by race, within each sex category.

Table 1. Continued

| | | All Races | | | |
|------------------|---------|-----------|---------|------------|---------|
| Age Group | Male | Female | Total | AgeGroup | AgeGrp% |
| Ages 00-04 | 0 | 0 | 0 | Ages 00-04 | 0.00% |
| Ages 05-09 | 0 | 2 | 2 | Ages 05-09 | 0.04% |
| Ages 10-14 | 3 | 32 | 35 | Ages 10-14 | 0.72% |
| Ages 15-19 | 275 | 1130 | 1405 | Ages 15-19 | 28.75% |
| Ages 20-24 | 660 | 1169 | 1829 | Ages 20-24 | 37.43% |
| Ages 25-29 | 346 | 526 | 872 | Ages 25-29 | 17.84% |
| Ages 30-34 | 148 | 224 | 372 | Ages 30-34 | 7.61% |
| Ages 35-39 | 75 | 99 | 174 | Ages 35-39 | 3.56% |
| Ages 40-44 | 47 | 53 | 100 | Ages 40-44 | 2.05% |
| Ages 45-49 | 33 | 25 | 58 | Ages 45-49 | 1.19% |
| Ages 50-54 | 14 | 12 | 26 | Ages 50-54 | 0.53% |
| Ages 55-59 | 4 | 6 | 10 | Ages 55-59 | 0.20% |
| Ages 60-64 | 2 | 1 | 3 | Ages 60-64 | 0.06% |
| Ages 65+ | 1 | 0 | 1 | Ages 65+ | 0.02% |
| Unknown | 0 | 0 | 0 | Unknown | 0.00% |
| Total | 1608 | 3279 | 4887 | Total | 100.00% |
| % Sex, by Race* | 32.90% | 67.10% | 100.00% | | |
| % Race, by Sex** | 100.00% | 100.00% | 100.00% | | |

^{* %} Sex, by Race refers to the percentage of chlamydia cases, by sex, within each race category.

 $[\]ensuremath{^{**}}$ % Race, by Sex refers to the percentage of chlamydia cases, by race, within each sex category.

State of Alaska Section of Epidemiology

Table 2. Reported Chlamydia Cases, by Age, Race, Sex and Alaska Native Region -- Alaska, Jan-Dec 2007*

Alaska 2007 Census = 676,056 Persons CT cases = 4,887

| | Aleutia | n & Pribilofs | Anchora | age/Mat-Su | Arct | ic Slope | Bris | stol Bay | Copper | River/Prince | In | terior |
|---------------|---------|---------------|---------|------------|-------|------------|-------|------------|--------|--------------|-------|------------|
| | Cases | Statewide% | Cases | Statewide% | Cases | Statewide% | Cases | Statewide% | Cases | Statewide% | Cases | Statewide% |
| TOTAL | 36 | 0.74% | 2534 | 51.85% | 96 | 1.96% | 46 | 0.94% | 25 | 0.51% | 734 | 15.02% |
| SEX | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% |
| Male | 14 | 38.89% | 907 | 35.79% | 30 | 31.25% | 9 | 19.57% | 5 | 20.00% | 238 | 32.43% |
| Female | 22 | 61.11% | 1627 | 64.21% | 66 | 68.75% | 37 | 80.43% | 20 | 80.00% | 496 | 67.57% |
| Other/Unknown | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| AGE GROUP | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% |
| Ages 00-04 | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 05-09 | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 10-14 | <5 | | 11 | 0.43% | <5 | | <5 | | <5 | | 6 | 0.82% |
| Ages 15-19 | 6 | 16.67% | 689 | 27.19% | 27 | 28.13% | 13 | 28.26% | 7 | 28.00% | 211 | 28.75% |
| Ages 20-24 | 17 | 47.22% | 978 | 38.60% | 27 | 28.13% | 13 | 28.26% | 13 | 52.00% | 304 | 41.42% |
| Ages 25-29 | 9 | 25.00% | 465 | 18.35% | 18 | 18.75% | 9 | 19.57% | <5 | | 137 | 18.66% |
| Ages 30-34 | <5 | | 201 | 7.93% | 10 | 10.42% | 7 | 15.22% | <5 | | 47 | 6.40% |
| Ages 35-39 | <5 | | 84 | 3.31% | 5 | 5.21% | <5 | | <5 | | 17 | 2.32% |
| Ages 40-44 | <5 | | 51 | 2.01% | <5 | | <5 | | <5 | | 5 | 0.68% |
| Ages 45-49 | <5 | | 34 | 1.34% | <5 | | <5 | | <5 | | <5 | |
| Ages 50-54 | <5 | | 15 | 0.59% | <5 | | <5 | | <5 | | <5 | |
| Ages 55-59 | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 60-64 | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 65+ | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Unknown | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| RACE | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% |
| White | <5 | | 973 | 38.40% | | | | | | | 362 | 49.32% |
| Black | <5 | | 428 | 16.89% | | | | | | | 120 | 16.35% |
| AI/AN | 25 | 69.44% | 854 | 33.70% | | | | | | | 221 | 30.11% |
| Asian/PI | 6 | 16.67% | 247 | 9.75% | | | | | | | 29 | 3.95% |
| Other/Unknown | <5 | | 32 | 1.26% | | | | | | | <5 | |

^{*} When case counts in any cell are less than 5, case numbers are shown as <5 and rates are not displayed.

Table 2. Continued

| | Kenai | Peninsula | Kod | iak Area | North | west Arctic | Norto | on Sound | Sou | utheast | Yukon- | Kuskokwim |
|---------------|-------|------------|-------|------------|-------|-------------|-------|------------|-------|------------|--------|------------|
| | Cases | Statewide% | Cases | Statewide% | Cases | Statewide% | Cases | Statewide% | Cases | Statewide% | Cases | Statewide% |
| TOTAL | 120 | 2.46% | 58 | 1.19% | 192 | 3.93% | 204 | 4.17% | 284 | 5.81% | 558 | 11.42% |
| SEX | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% |
| Male | 41 | 34.17% | 18 | 31.03% | 46 | 23.96% | 73 | 35.78% | 92 | 32.39% | 135 | 24.19% |
| Female | 79 | 65.83% | 40 | 68.97% | 146 | 76.04% | 131 | 64.22% | 192 | 67.61% | 423 | 75.81% |
| Other/Unknown | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| AGE GROUP | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% |
| Ages 00-04 | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 05-09 | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 10-14 | <5 | | <5 | | 5 | 2.60% | <5 | | <5 | | <5 | |
| Ages 15-19 | 40 | 33.33% | 17 | 29.31% | 57 | 29.69% | 68 | 33.33% | 105 | 36.97% | 165 | 29.57% |
| Ages 20-24 | 52 | 43.33% | 24 | 41.38% | 71 | 36.98% | 60 | 29.41% | 103 | 36.27% | 167 | 29.93% |
| Ages 25-29 | 18 | 15.00% | 8 | 13.79% | 31 | 16.15% | 31 | 15.20% | 38 | 13.38% | 106 | 19.00% |
| Ages 30-34 | <5 | | <5 | | 11 | 5.73% | 27 | 13.24% | 18 | 6.34% | 44 | 7.89% |
| Ages 35-39 | <5 | | <5 | | 9 | 4.69% | 10 | 4.90% | 10 | 3.52% | 33 | 5.91% |
| Ages 40-44 | <5 | | 5 | 8.62% | 6 | 3.13% | <5 | | 5 | 1.76% | 19 | 3.41% |
| Ages 45-49 | <5 | | <5 | | <5 | | <5 | | <5 | | 12 | 2.15% |
| Ages 50-54 | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 55-59 | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 60-64 | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 65+ | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Unknown | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| RACE | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% |
| White | 85 | 70.83% | | | | | | | 120 | 42.25% | | |
| Black | <5 | | | | | | | | <5 | | | |
| AI/AN | 28 | 23.33% | | | | | | | 140 | 49.30% | | |
| Asian/PI | 5 | 4.17% | | | | | | | 19 | 6.69% | | |
| Other/Unknown | <5 | | | | | | | | <5 | | | |

^{*} When case counts in any cell are less than 5, case numbers are shown as <5 and rates are not displayed.

Table 2. Continued

| | Chahau | ide Totals |
|---------------|--------|------------|
| | | 1 |
| | Cases | Statewide% |
| TOTAL | 4887 | 100.00% |
| SEX | Cases | Statewide% |
| Male | 1608 | 32.90% |
| Female | 3279 | 67.10% |
| Other/Unknown | <5 | |
| AGE GROUP | Cases | Statewide% |
| Ages 00-04 | <5 | |
| Ages 05-09 | <5 | |
| Ages 10-14 | 35 | 0.72% |
| Ages 15-19 | 1405 | 28.75% |
| Ages 20-24 | 1829 | 37.43% |
| Ages 25-29 | 872 | 17.84% |
| Ages 30-34 | 372 | 7.61% |
| Ages 35-39 | 174 | 3.56% |
| Ages 40-44 | 100 | 2.05% |
| Ages 45-49 | 58 | 1.19% |
| Ages 50-54 | 26 | 0.53% |
| Ages 55-59 | 10 | 0.20% |
| Ages 60-64 | <5 | |
| Ages 65+ | <5 | |
| Unknown | <5 | |
| RACE | Cases | Statewide% |
| White | 1588 | 32.49% |
| Black | 555 | 11.36% |
| AI/AN | 2390 | 48.91% |
| Asian/PI | 315 | 6.45% |
| Other/Unknown | 39 | 0.80% |
| * 14/1 | | |

^{*} When case counts in any cell are less than 5, case numbers are shown as <5 and rates are not displayed.

Section of Epidemiology

Table 3. Reported Gonorrhea Cases by Age, Race and Sex -- Alaska, Jan-Dec 2007

Alaska 2007 Census = 676,056 Persons GC cases = 579

| | | AI/AN | | | Black | | | Asian/PI | | | White | | Other/Unknown | | | |
|------------------|--------|--------|---------|--------|--------|---------|--------|----------|---------|--------|--------|---------|---------------|--------|---------|--|
| Age Group | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total | |
| Ages 00-04 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Ages 05-09 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Ages 10-14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | |
| Ages 15-19 | 10 | 36 | 46 | 4 | 8 | 12 | 3 | 7 | 10 | 4 | 23 | 27 | 0 | 1 | 1 | |
| Ages 20-24 | 23 | 54 | 77 | 19 | 12 | 31 | 2 | 5 | 7 | 19 | 30 | 49 | 1 | 1 | 2 | |
| Ages 25-29 | 22 | 35 | 57 | 10 | 9 | 19 | 4 | 2 | 6 | 13 | 15 | 28 | 0 | 1 | 1 | |
| Ages 30-34 | 12 | 18 | 30 | 8 | 6 | 14 | 1 | 2 | 3 | 9 | 6 | 15 | 0 | 0 | 0 | |
| Ages 35-39 | 10 | 12 | 22 | 8 | 0 | 8 | 1 | 0 | 1 | 2 | 7 | 9 | 0 | 0 | 0 | |
| Ages 40-44 | 4 | 11 | 15 | 11 | 0 | 11 | 0 | 1 | 1 | 4 | 2 | 6 | 1 | 0 | 1 | |
| Ages 45-49 | 8 | 8 | 16 | 12 | 2 | 14 | 0 | 2 | 2 | 5 | 3 | 8 | 1 | 0 | 1 | |
| Ages 50-54 | 3 | 1 | 4 | 5 | 0 | 5 | 0 | 0 | 0 | 8 | 2 | 10 | 0 | 0 | 0 | |
| Ages 55-59 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 1 | 4 | 0 | 0 | 0 | |
| Ages 60-64 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 2 | 3 | 0 | 0 | 0 | |
| Ages 65+ | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Total | 93 | 175 | 268 | 78 | 37 | 115 | 11 | 19 | 30 | 68 | 92 | 160 | 3 | 3 | 6 | |
| % Sex, by Race* | 34.70% | 65.30% | 100.00% | 67.83% | 32.17% | 100.00% | 36.67% | 63.33% | 100.00% | 42.50% | 57.50% | 100.00% | 50.00% | 50.00% | 100.00% | |
| % Race, by Sex** | 36.76% | 53.68% | 46.29% | 30.83% | 11.35% | 19.86% | 4.35% | 5.83% | 5.18% | 26.88% | 28.22% | 27.63% | 1.19% | 0.92% | 1.04% | |

^{* %} Sex, by Race refers to the percentage of gonorrhea cases, by sex, within each race category.

^{** %} Race, by Sex refers to the percentage of gonorrhea cases, by race, within each sex category.

Table 3. Continued

| | | All Races | | | |
|------------------|---------|-----------|---------|------------|---------|
| Age Group | Male | Female | Total | AgeGroup | AgeGrp% |
| Ages 00-04 | 0 | 0 | 0 | Ages 00-04 | 0.00% |
| Ages 05-09 | 0 | 0 | 0 | Ages 05-09 | 0.00% |
| Ages 10-14 | 0 | 1 | 1 | Ages 10-14 | 0.17% |
| Ages 15-19 | 21 | 75 | 96 | Ages 15-19 | 16.58% |
| Ages 20-24 | 64 | 102 | 166 | Ages 20-24 | 28.67% |
| Ages 25-29 | 49 | 62 | 111 | Ages 25-29 | 19.17% |
| Ages 30-34 | 30 | 32 | 62 | Ages 30-34 | 10.71% |
| Ages 35-39 | 21 | 19 | 40 | Ages 35-39 | 6.91% |
| Ages 40-44 | 20 | 14 | 34 | Ages 40-44 | 5.87% |
| Ages 45-49 | 26 | 15 | 41 | Ages 45-49 | 7.08% |
| Ages 50-54 | 16 | 3 | 19 | Ages 50-54 | 3.28% |
| Ages 55-59 | 4 | 1 | 5 | Ages 55-59 | 0.86% |
| Ages 60-64 | 2 | 2 | 4 | Ages 60-64 | 0.69% |
| Ages 65+ | 0 | 0 | 0 | Ages 65+ | 0.00% |
| Unknown | 0 | 0 | 0 | Unknown | 0.00% |
| Total | 253 | 326 | 579 | Total | 100.00% |
| % Sex, by Race* | 43.70% | 56.30% | 100.00% | | |
| % Race, by Sex** | 100.00% | 100.00% | 100.00% | | |

^{* %} Sex, by Race refers to the percentage of gonorrhea cases, by sex, within each race category.

 $[\]ensuremath{^{**}}$ % Race, by Sex refers to the percentage of gonorrhea cases, by race, within each sex category.

Table 4. Reported Gonorrhea Cases, by Age, Race, Sex and Alaska Native Region -- Alaska, Jan-Dec 2007*

| | Aleutian | & Pribilofs | Ancho | rage/Mat-Su | Arc | tic Slope | Br | istol Bay | Copper | River/Prince | Ir | nterior | Kena | Peninsula |
|---------------|----------|-------------|-------|-------------|-------|------------|-------|------------|--------|--------------|-------|------------|-------|------------|
| | Cases | Statewide% | Cases | Statewide% | Cases | Statewide% | Cases | Statewide% | Cases | Statewide% | Cases | Statewide% | Cases | Statewide% |
| TOTAL | <5 | | 399 | 68.91% | 58 | 10.02% | 8 | 1.38% | 5 | 0.86% | 37 | 6.39% | 5 | 0.86% |
| SEX | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% |
| Male | <5 | | 168 | 42.11% | 26 | 44.83% | <5 | | <5 | | 18 | 48.65% | <5 | |
| Female | <5 | | 231 | 57.89% | 32 | 55.17% | 5 | 62.50% | <5 | | 19 | 51.35% | <5 | |
| Other/Unknown | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| AGE GROUP | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% |
| Ages 00-04 | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 05-09 | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 10-14 | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 15-19 | <5 | | 71 | 17.79% | 8 | 13.79% | <5 | | <5 | | <5 | | <5 | |
| Ages 20-24 | <5 | | 111 | 27.82% | 18 | 31.03% | <5 | | <5 | | 15 | 40.54% | <5 | |
| Ages 25-29 | <5 | | 74 | 18.55% | 15 | 25.86% | <5 | | <5 | | 6 | 16.22% | <5 | |
| Ages 30-34 | <5 | | 42 | 10.53% | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 35-39 | <5 | | 24 | 6.02% | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 40-44 | <5 | | 28 | 7.02% | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 45-49 | <5 | | 29 | 7.27% | 5 | 8.62% | <5 | | <5 | | <5 | | <5 | |
| Ages 50-54 | <5 | | 15 | 3.76% | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 55-59 | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 60-64 | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 65+ | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Unknown | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| RACE | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% |
| White | <5 | | 132 | 33.08% | | | | | | | 16 | 43.24% | <5 | |
| Black | <5 | | 104 | 26.07% | | | | | | | 11 | 29.73% | <5 | |
| AI/AN | <5 | | 130 | 32.58% | | | | | | | 10 | 27.03% | <5 | |
| Asian/PI | <5 | | 27 | 6.77% | | | | | | | <5 | | <5 | |
| Other/Unknown | <5 | | 6 | 1.50% | | | | | | | <5 | | <5 | |

^{*} When case counts in any cell are less than 5, case numbers are shown as <5 and rates are not displayed.

Table 4. Continued

| | Kod | iak Area | North | west Arctic | Norte | on Sound | Sou | utheast | Yukon- | Kuskokwim | Statew | ide Totals |
|---------------|-------|------------|-------|-------------|-------|------------|-------|------------|--------|------------|--------|------------|
| | Cases | Statewide% | Cases | Statewide% | Cases | Statewide% | Cases | Statewide% | Cases | Statewide% | Cases | Statewide% |
| TOTAL | <5 | | 11 | 1.90% | 5 | 0.86% | 11 | 1.90% | 37 | 6.39% | 579 | 100.00% |
| SEX | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Statewide% |
| Male | <5 | | 5 | 45.45% | <5 | | <5 | | 19 | 51.35% | 253 | 43.70% |
| Female | <5 | | 6 | 54.55% | <5 | | 7 | 63.64% | 18 | 48.65% | 326 | 56.30% |
| Other/Unknown | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| AGE GROUP | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Statewide% |
| Ages 00-04 | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 05-09 | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 10-14 | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 15-19 | <5 | | <5 | | <5 | | <5 | | 5 | 13.51% | 96 | 16.58% |
| Ages 20-24 | <5 | | <5 | | <5 | | <5 | | 7 | 18.92% | 166 | 28.67% |
| Ages 25-29 | <5 | | <5 | | <5 | | <5 | | 6 | 16.22% | 111 | 19.17% |
| Ages 30-34 | <5 | | <5 | | <5 | | <5 | | 7 | 18.92% | 62 | 10.71% |
| Ages 35-39 | <5 | | <5 | | <5 | | <5 | | 6 | 16.22% | 40 | 6.91% |
| Ages 40-44 | <5 | | <5 | | <5 | | <5 | | <5 | | 34 | 5.87% |
| Ages 45-49 | <5 | | <5 | | <5 | | <5 | | <5 | | 41 | 7.08% |
| Ages 50-54 | <5 | | <5 | | <5 | | <5 | | <5 | | 19 | 3.28% |
| Ages 55-59 | <5 | | <5 | | <5 | | <5 | | <5 | | 5 | 0.86% |
| Ages 60-64 | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 65+ | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Unknown | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| RACE | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Statewide% |
| White | | | | | | | <5 | | | | 160 | 27.63% |
| Black | | | | | | | <5 | | | | 115 | 19.86% |
| AI/AN | | | | | | | 8 | 72.73% | | | 268 | 46.29% |
| Asian/PI | | | | | | | <5 | | | | 30 | 5.18% |
| Other/Unknown | | | | | | | <5 | | | | 6 | 1.04% |

^{*} When case counts in any cell are less than 5, case numbers are shown as <5 and rates are not displayed.